

PRESCRIBING INFORMATION

ITRAFUN

COMPOSITION

Each Capsule contains:

Itraconazole 100mg/200mg

DESCRIPTION

Itraconazole belongs to a class of drugs known as azole antifungals. It is an antifungal medication used to treat a number of fungal infections in any part of the body including the lungs, mouth or throat, vagina, toenails or fingernails.

PHARMACOLOGY

PHARMACOKINETICS

Absorption : The absolute oral bioavailability is 55% and is maximal when taken with a full meal.


Volume of distribution: 796 ± 185 L

Protein binding : 99.8%

Metabolism : extensively metabolized by the liver into a large number of metabolites, including hydroxyitraconazole, the major metabolite.

Half life : 21 hours

PHARMACODYNAMICS



Disruption of ergosterol & its production can alter fluidity and integrity of the cell membrane & cell wall.

INDICATIONS & DOSAGES

Tinea pedis: 100mg/day for 30days **or** 200mg daily for 7 days.

Tinea cruris & tinea corporis: 100mg/day for 15days.

Tinea versicolor: 200mg/day for 7 days.

Toe nails: 200mg/day for 12 weeks.

Finger nails: 200mg/day for 6weeks.

Vaginal candidiasis: 200mg/day for 3 consecutive days **Or** 200mg b.i.d for 1 day.

Fungal keratitis: 100mg daily for 7-14days **Or** 200mg OD for 21 days

Immunocompromised patients: 200mg OD for 6 months.

SIDE EFFECTS

- Headache
- Dizziness
- Rash
- Nausea
- Vomiting
- Upset stomach
- Constipation
- Fever
- Muscle/joint pain
- Unusual or unpleasant taste
- Hair loss
- Impotence
- Erection problems
- Changes in menstrual periods

CONTRAINDICATIONS

Hypersensitivity to azole antifungals, pregnancy, lactation and hepatic disease.

WARNINGS & PRECAUTIONS

- Hepatotoxicity
- Neuropathy
- Immunocompromised patients
- Cystic fibrosis
- Cardiac dysrhythmias
- Cardiac disease
- Hearing loss

DRUG INTERACTIONS

- Oral Anticoagulants
- Digoxin
- Cilostazol
- Alprazolam
- Midazolam
- Repaglinide
- Corticosteroids
- Protease inhibitors: Ritonavir & Indinavir
- Erythromycin
- Clarithromycin
- Proton pump inhibitors(PPIs)
- Antimuscarinics
- Histamine H2 receptor antagonist

PREGNANCY AND LACTATION

Pregnancy category C

Itraconazole is absorbed poorly in milk but better avoid during lactation.

PACKING

Itrafun 100mg is available in blister of 10 Tablets.

Each box contains 15x7's.

Itrafun 200mg is available in blister of 10 Tablets.

Each box contains 10x7's.

TARGETED DOCTOR

- Dermatologist
- Gynaecologist
- Physician
- General practitioner

COMPETITORS

S.N.	BRAND NAME	MANUFACTURER	STRENGTH	MRP
1.	ALITA	ALIVE	100mg caps	Rs. 45.00
2.	ICON	QUEST	100mg	Rs.45.00
3.	DIGICON	DJPL	100mg	Rs.45.00
4.	ITRATIME	TIME	100mg	Rs. 45.00
5.	ELOZ	MARUTI	100mg	Rs. 35.00
6.	CANDITRAL	GLENMARK	100mg	Rs. 31.52
7.	ITRACON	SUMY	100mg	Rs.42.00
8.	ITAC	BIOGAIN	100mg	
9.	ITRACID	VEGA	100mg	
10.	ITCO	NATIONAL	100mg	Rs.42.00
11.	ECONAZOLE	NPL	100mg	Rs. 45.00
12.	ONITRA	QMED(CROSTA)	100mg	Rs. 42.00
13.	TRACO	NOVA GENETICA	100mg	Rs. 35.00

S.N.	BRAND NAME	MANUFACTURER	STRENGTH	MRP
1.	DIGICON	DJPL(AARO)	200mg	Rs. 65
2.	ITRACID	VEGA	200mg	
3.	IAC	BIOGAIN	200mg	Rs. 65
4.	ELOZ	MARUTI	200mg	