

PRESCRIBING INFORMATION

RAMBO 20

COMPOSITION

Each Enteric coated tablet contains:

Rabeprazole 20mg

DESCRIPTION

Rabeprazole is an antiulcer drug in the class of proton pump inhibitors that decreases the amount of acid produced in the stomach. Rabeprazole is used for short-term to treat symptoms of gastroesophageal reflux disease (GERD) in adults and children who are at least 1 year old.

PHARMACOLOGY

PHARMACOKINETICS

Absorption : after oral ingestion it is relatively rapidly absorbed as maximal plasma concentration (C_{max}) is reached between 2.8 and 5.1 postdose


Bioavailability : 52%

Plasma protein binding : 96.3% -97%

Biological half-life : 1 hour

Metabolism : extensively metabolized by the liver. The drug metabolizing enzymes primarily responsible for Rabeprazole's metabolism are CYP2C19 and CYP3A4.

PHARMACODYNAMICS



Blocks the final step of gastric acid secretion

INDICATIONS

- Gastric ulcer (GU)
- Peptic ulcer disease (PUD)
- Maintenance of healing of erosive or ulcerative GERD
- Healing of erosive and ulcerative GERD
- Healing of duodenal ulcers.
- Treatment of symptomatic GERD
- Treatment of pathological hypersecretory conditions (Zollinger-Ellison syndrome)
- Helicobacter pylori eradication to reduce risk of duodenal ulcer recurrence

DOSAGE & ADMINISTRATION

Duodenal ulcers (Adults)

- PO 20 mg/day after the morning meal for 4 wk; additional therapy may be required for some patients.

Short-Term Treatment of GERD (Adults and Children 12 y and older)

- PO 20 mg once daily for up to 8 wk.

Erosive or Ulcerative GERD (Adults)

- PO 20 mg/day for 4 to 8 wk; an additional 8 wk may be considered for patients who do not heal. For the maintenance healing of GERD, 20 mg/day.

Pathological Hypersecretory Conditions (Adults)

- PO 60 mg/day. Adjust dose to individual patient needs. Dosages up to 100 mg daily or 60 mg twice daily have been administered.

H. Pylori Eradication (Adults)

- PO Rabeprazole 20 mg plus amoxicillin 1,000 mg plus clarithromycin 500 mg twice daily for 7 days with morning and evening meals.

SIDE EFFECTS

Central Nervous System: Headache, dizziness, disorientation/delirium.

Skin: Skin eruptions, severe allergic reactions.

Eye and ENT: Inflammation of pharynx.

Gastrointestinal: Diarrhea, nausea, abdominal pain, vomiting, flatulence, constipation, abdominal pain, dry mouth.

Genitourinary: Kidney disorder.

Blood: Decrease in white blood cells, anemia.

Metabolic: Excess ammonia in blood, thyroid stimulating hormone elevations.

Musculoskeletal: Joint pain, muscle pain, rapid breakdown of skeletal muscle

CONTRAINDICATIONS

Hypersensitivity to Rabeprazole or other proton pump inhibitors & Rilpivirine containing products.

WARNINGS & PRECAUTIONS

- Clostridium difficile-associated diarrhoea.
- In liver disease may require dosage reduction.
- Cutaneous lupus erythematosus and systemic lupus erythematosus.
- Hypomagnesemia
- Increased risk of osteoporosis-related fracture of hip, wrist or spine.
- Before having surgery, tell your doctor or dentist about all the products you use (including prescription drugs, non prescription drugs, and herbal products).

DRUG INTERACTIONS

- Rabeprazole decreases the concentration of ketoconazole in the plasma (in 33%), increases the concentration of digoxin (in 22%), and does not interact with liquid antacids
- Rabeprazole is compatible with any medicine metabolized by the CYP450 (theophylline, warfarin, diazepam, and phenytoin).

- Concomitant use of atazanavir and proton pump inhibitors is not recommended. Co-administration of atazanavir with proton pump inhibitors is expected to substantially decrease atazanavir plasma concentrations and thereby reduce its therapeutic effect.

PREGNANCY AND LACTATION

Pregnancy category B

It is not known if Rabeprazole is excreted in human milk, caution should be exercised if administered to a nursing woman.

PRESENTATION

Rambo 20 is available in alu-alu blister of 10 Tablets.

Each box contains 10x10's.

TARGETED DOCTORS

Gastroenterologist

Orthopaedics

Physicians

General practitioner

COMPETITORS

S.N.	BRAND NAME	MANUFACTURER	STRENGTH	MRP
1.	RAZO	Dr. REDDY'S	20mg	Rs. 17.70
2.	RABEPRA	TIME PHARMA	20mg	Rs. 12.00
3.	RAAZ	ALIVE	20mg	Rs. 12.00
4.	RAPEED	ASIAN(NAISA)	20mg	Rs. 12.00
5.	RAB 20	MAGNUS	20mg	Rs. 12.00
6.	RABLET	NOVA GENETICA	20mg	Rs. 12.00
7.	RABICID	CHEMI DRUG	20mg	Rs.12.00
8.	RABENORM	DJPL(NIROG)	20mg	Rs.10.00
9.	RABOMEZ	LOMUS	20mg	Rs.10.00
10.	ROLFAST	NATIONAL(MAX)	20mg	Rs.10.00
11.	RABOCID	NPL	20mg	Rs.10.00
12.	ACIRAB	OMNICA(REMEDIES)	20mg	Rs.10.00

13.	RABI	QMED(GAS)	20mg	Rs.10.00
-----	------	-----------	------	----------